

FOURSTEEL®
[heating products factory]

HEATING PRODUCTS DESIGNED
AND DEVELOPED BY FOURSTEEL®

26

FOURSTEEL®

CORPORATE

Foursteel is a Portuguese producer of design heating radiators and towel warmers.

Focused on market needs, in collaboration with architects and designers creates distinctive radiators in stainless steel and steel, developing efficient heating solutions with contemporary and minimalist concepts.

FOURSTEEL® INDEX



10

AIR ROUND



14

AIR SQUARE



16

AIR DOUBLE SQUARE



16

MINIMAL



20

MINIMAL X



22

M TUBE



24

M TUBE SQUARE



26

M TUBE ROUND



28

M SLIM



30

M SLIM SQUARE



32

FOURSLIM BY ARCH.



36

FOURSLIM ON OFF



38

FOURSIM SQUARE



42

FOURSIM SQUARE
ON OFF



44

FOURSIM SQUARE
LED



46

SKINNY



50

STEEL GLAM



54

STEEL ELEGANCE



56

FOURFOZ



58

FOURFOZ ON OFF



60

STEEL WAVE



62

STEEL STONE



64

AIRAGE



66

STEEL CLASSIC




68

STEEL GLAMOUR



70

STEEL STYLE



72

NEW SIM



74

BASIC LINE



78

NEW BASIC




82

EMPRESS



84

OLD BEAUTY



86

REMINO



88

FLOOR REMINO



90

RETRO SPECIAL



92

DIAMOND



94

DIAMOND XS



95

ARENA TABLE



96

ARENA



98

CURVE



100

D LIGNE



102

DIVINE



104

LINEAR

FOURSTEEL®
INDEX



106

PLANO MOVE



108

PLANO PURE



110

PLANO PURE ON OFF



112

PLANO +



116

PLANO



118

DOMOTIC TOUCH



120

SWITCH ON OFF



122

MIXED SWITCH



123

ELECTRIC SWITCHES
ROUND



125

VALVES



126

OTHER ACCESSORIES



130

FOURSTEEL®

Foursteel, lda

Centro Empresarial de Aveiro

Zona Industrial de Mamodero

3810-783 Aveiro

PORTUGAL

T +351 234 111 967

T +351 234 107 263

www.foursteel.eu

geral@foursteel.eu

+351 935 212 579

FOURSTEEL® - ALL RIGHTS RESERVED

IMPORTANT NOTES:

1. When the position of the electric element is not identified it will always be placed in the lower right side;
2. All our electric heaters consist of electric heater cartridge (heater bar) and thermal fluid.
3. Fourwell® reserves the right to change all the products and related drawings featured in this catalogue without any prior notice.
4. All Fourwell® products are adaptable in terms of size and capacity.

RAL COLORS: color subject to confirmation.

WHITE: RAL 9016 (Standard version)

Certification of electrical products, according to the standards:

IECEN 60335-2-43

IEC 60335-1:2010 + COR1:2010 + COR2:2011 + A1:2013 EN 60335-1:2012 + AC:2014 + A11:2014

IEC 60335-2-43:2002 + A1:2005 + A2:2008 EN 60335-2-43:2003 + A1:2006 + A2:2008

Certification of central heating products, according to the standard UNE:

EN442 - 2

UL Certification:

UL 499 - Electric Heating Appliances

ES06585





A minimalist bathroom with a white bathtub, a wooden stool with towels, and a large rectangular towel warmer mounted on the wall. The room is brightly lit, with a large window on the left and a vertical light fixture on the right wall.

AIR ROUND

TOWEL WARMER

FINISHES

-  Polished
-  Brushed
-  Textured Black
-  White VDS Selen
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Raised

VERSION


-  Electric

MATERIAL

-  Stainless Steel



model	AR1200550	AR1200800
height (mm) a	1200	1200
total width (mm) c	550	800
depth (mm) d	30	30
capacity (l)	0,4	0,8
electric (W)	40	40



AIR SQUARE

TOWEL WARMER

FINISHES

-  Polished
-  Brushed
-  Textured Black
-  White VDI 6 Seal
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Raised

VERSION

-  Electric

MATERIAL

-  Stainless Steel



model		ASQ120053D	ASQ120080D
height (mm)	a	1200	1200
total width (mm)	c	550	800
depth (mm)	d	30	30
capacity (l)		0,4	0,8
electric (W)		40	40



AIR DOUBLE SQUARE

TOWEL WARMER

FINISHES

-  Polished
-  Brushed
-  Textured Black
-  White VDI 16 Seal
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES



-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Raised

VERSION

-  Electric

MATERIAL

-  Stainless Steel



model	ADGQ1200550	ADGQ1200800
height (mm) a	1200	1200
total width (mm) c	550	800
depth (mm) d	150	150
capacity (l)	0,8	1,2
electric (W)	40 x2	40 x2

MINIMAL

TOWEL WARMER

ARCHITECT: MANUEL AIRES MATEUS

Palácio Cordes de Murça in Lisbon.



FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White 90/10 Satin
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES


-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Raised

VERSION

-  Electric



MATERIAL

-  Stainless Steel



model	M 900	M 1200	M 1400	M 1800
height (mm) a	900	1200	1400	1800
total width (mm) c	35	35	35	35
depth (mm) d	23	23	23	23
capacity (l)	0,6	0,8	1,0	1,3
electric (W)	100	150	150	200

TOP VIEW






MINIMAL X

TOWEL WARMER





** the second support is only implemented in the model MX1800

model		MX 900	MX 1200	MX 1400	MX 1800
height (mm)	a	900	1200	1400	1800
total width (mm)	c	30	50	30	50
depth (mm)	d	30	50	30	50
capacity (l)		0,6	0,8	1,0	1,3
electric (W)		100	150	150	200

M TUBE
TOWEL WARMER



FINISHES

-  Polished
-  Brushed
-  Textured Black
-  White 90/10 Seals
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES



-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Raised

VERSION

-  Electric

MATERIAL

-  Stainless Steel



hidden electric element II

model	MT3 550	additional elec.	MT3 800	additional elec.
no. of elements	3	1	3	1
height (mm) a	30	30	30	30
width between elements (mm) b	120	-	120	-
total width (mm) c	550	550	800	800
depth (mm) d	120	120	120	120
capacity II	3x0,4	0,4	3x0,6	0,6
elects (W)	3x40	40	3x40	40

M TUBE SQUARE

TOWEL WARMER



FINISHES

-  Polished
-  Brushed
-  Textured Black
-  White VDI 16 Seal
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES



-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Raised

VERSION

-  Electric

MATERIAL

-  Stainless Steel



model	MTS 550 additional elem.		MTS 800 additional elem.	
no. of elements	3	1	3	1
height (mm) a	30	30	30	30
width between elements (mm) b	120	-	120	-
total width (mm) c	550	550	800	800
depth (mm) d	120	130	120	120
capacity II	3x0,4	0,4	3x0,6	0,6
electric (W)	3x40	40	3x40	40

M TUBE ROUND

TOWEL WARMER



FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White 90/10 Seals
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES



-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Raised

VERSION


-  Electric

MATERIAL

-  Stainless Steel




model	MTR3 550 additional data		MTR3 800 additional data	
no. of elements	3	1	3	1
height (mm) a	30	30	30	30
width between elements (mm) b	120	-	120	-
total width (mm) c	550	550	800	800
depth (mm) d	120	120	120	120
capacity II	3x0,4	0,4	3x0,6	0,6
electric (W)	3x40	40	3x40	40



M SLIM
TOWEL WARMER





FINISHINGS

- Polished
- Brushed
- Textured Black
- White 9016 Satin
- RAL Colour

PVD FINISHING

- Champagne
- Gold
- Copper
- Gun Metal

ACCESSORIES

- Domestic Touch
- Mirror Switch
- Mirror Switch Round


VERSION

- Electric

MATERIAL

- Stainless Steel


** Products not provided by Fountel.



model	M53 600	additional elec.
no. of elements	3	1
height (mm)	30	30
width between elements (mm)	120	-
total width (mm)	600	600
depth (mm)	80	80
capacity II	3x0,6	0,6
electric (W)	3x40	40



M SLIM SQUARE
TOWEL WARMER



FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round


VERSION

-  Electric

MATERIAL

-  Stainless Steel

** Products not provided by Founted.



model	no. of elements	MSS3 600 additional elem.	
		3	1
height (mm)	a	30	30
width between elements (mm)	b	120	-
total width (mm)	c	600	600
depth (mm)	d	80	80
capacity II		3x0,6	0,6
electric (W)		3x40	40



FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White OD 16 Satin
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round
-  Wall Valve

VERSION

-  Central Heating
-  Electric
-  Mixed

MATERIAL

-  Stainless Steel




with individuality

FOURSLIM BY ARCH.

TOWEL WARMER


CENTRAL HEATING - solution 1

The connection of water inlet is done by a system of wall valves outside of the product.



CENTRAL HEATING - solution 2

Hidden valves



central heating - wall valve system


FSA 800	FSA 1200	FSA 1400
800	1200	1400
620	1000	1220
42	42	42
100	100	100
0,7	0,9	1,2
63	97	124

central heating - valves

FSA 800	FSA 1200	FSA 1400
800	1200	1400
620	1020	1220
42	42	42
130	130	130
0,7	0,9	1,2
63	97	124

model

- a (mm) height
- b (mm) width between axes
- c (mm) total width
- d (mm) depth
- l capacity
- (V) central heating



Electric version: in the horizontal position the depth is 75mm.

		hidden electric element II			mixed version - wall valve + electric II		
model		FS 800	FS 1200	FS 1400	F5M 800	F5M 1200	F5M 1400
height (mm)	a	800	1200	1400	880	1280	1480
width between axes (mm)	b	-	-	-	620	1020	1220
total width (mm)	c	25	25	25	42	42	42
depth (mm)	d	65	65	65	100	100	100
capacity ℓ		0,6	0,8	1,0	0,7	0,9	1,2
central heating (kW)		-	-	-	63	97	134
electric (kW)		40	100	100	40	100	100



**FOURSLIM
ON/OFF**

TOWEL WARMER

FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White 3D Soft
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round
-  Wall Valve

VERSION

-  Central Heating
-  Electric
-  Mixed


MATERIAL

-  Stainless Steel

BOTTOM VIEW




HIDDEN ELECTRIC ELEMENT



Electric version: in the horizontal position the depth is 82mm.

model	hidden electric element II - on/off			mixed version - wall valve + on/off			
	F50 800	F50 1200	F50 1400	F50M 800	F50M 1200/50M 1400		
height (mm)	a	800	1200	1400	800	1200	1400
width between valves (mm)	b	-	-	-	520	920	1120
total width (mm)	c	42	42	42	42	42	42
depth (mm)	d	72	72	72	100	100	100
capacity (l)	l	0,6	0,8	1,0	0,7	0,9	1,2
central heating (kW)		-	-	-	63	97	124
electric (kW)		300	100	150	40	100	100



**FOURSLIM
SQUARE**

TOWEL WARMER

FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White OD 16 Satin
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round
-  Wall Valve


VERSION

-  Central Heating
-  Electric
-  Mixed

MATERIAL

-  // Stainless Steel





Electric version: in the horizontal position the depth is 80mm.

hidden electric element II			mixed version: wall solve + electric			model
FSQ 800	FSQ 1200	FSQ 1400	FSQM 800	FSQM 1200	FSQM 1400	
800	1200	1400	880	1280	1480	a (mm) height
-	-	-	620	1020	1220	b (mm) width between axes
40	40	40	40	40	40	c (mm) total width
70	70	70	98	98	98	d (mm) depth
0,6	0,8	1,0	0,7	0,9	1,2	l) capacity
-	-	-	03	07	124	(V) central heating
100	100	150	40	100	100	(V) electric


CENTRAL HEATING - solution 1

The connection of water inlet is done by a system of wall valves outside of the product.



CENTRAL HEATING - solution 2

Hidden valves



	central heating - wall valve system			central heating - valves		
model	FSGA 800	FSGA 1200	FSGA 1400	FSGA 800	FSGA 1200	FSGA 1400
height (mm) a	800	1200	1400	800	1200	1400
width between axes (mm) b	620	1020	1220	620	1020	1220
total width (mm) c	40	40	40	40	40	40
depth (mm) d	98	98	98	128	128	128
capacity (l)	0,7	0,9	1,2	0,7	0,9	1,2
central heating (kW)	63	97	124	63	97	124

**FOURSLIM
SQUARE
ON/OFF**

TOVEL WARMER



FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White OD 16 Satin
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domestic Touch
-  Mimox Switch
-  Mimox Switch Round
-  Wall Valve


VERSION

-  Electric
-  Mixed

MATERIAL

-  Stainless Steel

VERSION: HIDDEN ELECTRIC ELEMENT I



Electric version: in the horizontal position the depth is 80mm.

model	hidden electric element I			mixed version: wall valve + electric I			
	F5Q200	F5Q1200	F5Q1400	F5QM900	F5QM1200	F5QM1400	
height (mm)	a	800	1200	1400	800	1200	1400
width between axes (mm)	b	-	-	-	520	920	1120
total width (mm)	c	40	40	40	40	40	40
depth (mm)	d	70	70	70	98	98	98
capacity (l)		0,6	0,8	1,0	0,7	0,9	1,2
central heating (kW)		-	-	-	63	97	124
electric (kW)		100	100	150	100	100	150

**FOURSLIM
SQUARE
LED**

TOVEL WARMER



FINISHES

-  Polished
-  Brushed
-  Textured Black
-  White VDI 16 Seal
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Raised


VERSION

-  Electric

MATERIAL

-  Stainless Steel

VERSION: HIDDEN ELECTRIC ELEMENT I



		FSQ 800	FSQ 1200	FSQ 1400
material				
height	(mm) a	800	1200	1400
width between axes	(mm) b	-	-	-
total width	(mm) c	40	40	40
depth	(mm) d	70	70	70
capacity	[l]	0,8	0,8	1,0
electric	[W]	100	100	130



SKINNY
TOWEL WARMER

FINISHES

-  Polished
-  Brushed
-  Textured Black
-  White 90/16 Satin
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Raised

VERSION


-  Electric

MATERIAL

-  Stainless Steel

VERSION: ROOF MOUNTED


HIDDEN ELECTRIC ELEMENT



model	Roof mounted			
	SK 900	SK 1200	SK 1400	
height [mm]	a	900	1200	1400
total width [mm]	b	90	90	90
tube diameter [mm]	c	42	42	42
capacity [l]		0,6	0,8	1,0
electric [W]		100	100	130



VERSION: MOBILE



OPTION A
electric cable exit through
the bottom



OPTION B
lateral exit of the
electric cable

NOTE: Also available in the square version.

model	mobile			
	SKM 900	SKM 1200	SKM 1400	
height [mm]	a	900	1200	1400
total width [mm]	b	280	280	280
tube diameter [mm]	c	42	42	42
capacity [l]		0,6	0,8	1,0
electric [W]		100	100	130



STEEL GLAM

TOWEL WARMER

FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White 3D 16 Satin
-  RAL Colour

PVD FINISHING

maximum dimensions of 1000mm

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round
-  Wall Valve

VERSION

-  Control Heating
-  Electric

MATERIAL

-  Stainless Steel

STEEL GLAM normal
(SG)STEEL GLAM sharp corner
(SGS)

model		SG 800L	SG 800S	SG 1200L	SG 1200S	SG 1800L	SG 1800S
height (mm)	a	800	800	1200	1200	1800	1800
width between axes (mm)	b	450	500	450	500	450	500
total width (mm)	c	480	530	480	530	480	530
depth (mm)	d	90	90	90	90	90	90
capacity (l)		2,8	3,1	4,0	4,6	6,6	7,1
control heating (W)		250	290	360	438	613	657
electric (W)		300	300	600	600	1000	1000



VERSION: CENTRAL HEATING



VERSION: ELECTRIC IV



VERSION: HIDDEN ELECTRIC ELEMENT II



VERSION: MIXED WITH ELEMENT IV





STEEL ELEGANCE
TOWEL WARMER

FINISHING

-  Polished
-  Brushed

ACCESSORIES

-  Domestic Touch
-  Mimica Switch
-  Mimica Switch Round


VERSION

-  Central Heating
-  Electric


MATERIAL

-  Stainless Steel


VERSION: CENTRAL HEATING



VERSION: ELECTRIC V



VERSION: ELECTRIC IV



model	EIG 800E	EIG 800L	EIG 1200E	EIG 1200L	EIG 1800E	EIG 1800L
height (mm)	a	800	800	1200	1200	1800
width between axes (mm)	b	450	500	450	500	450
total width (mm)	c	480	530	480	530	480
depth (mm)	d	87	87	87	87	87
capacity (l)		1,6	1,8	2,4	2,7	3,3
central heating (kW)		144	160	216	240	377
electric (kW)		200	200	300	300	600

FOURFOZ

TOWEL WARMER

ARCHITECT: EDUARDO SOUTO DE MOURA



FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White 3D 16 Soft
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round
-  Wall Value


VERSION

-  Central Heating
-  Electric
-  Mixed


MATERIAL

-  Stainless Steel

VERSION: CENTRAL HEATING



VERSION: ELECTRIC I



model	FF 525E	FF 525L	FF 800E	FF 800L
height (mm) a	525	525	800	800
width between axes (mm) b	450	500	450	500
total width (mm) c	475	525	475	525
depth (mm) d	100	100	100	100
capacity (l)	0,8	0,8	1,0	1,2
central heating (W)	89	98	126	139
electric (W)	100	100	150	150



FOURFOZ ON OFF

TOWEL WARMER

ARCHITECT: EDUARDO SOUTO DE MOURA



model	IFO 525E	IFO 525L	IFO 800E	IFO 800L
height (mm) a	525	525	800	800
width between axes (mm) b	450	500	450	500
total width (mm) c	475	525	475	525
depth (mm) d	100	100	100	100
electric (V)	100	100	150	150



STEEL WAVE

TOWEL WARMER

FINISHING

-  Polished
-  Brushed

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round

VERSION

-  Central Heating
-  Electric


MATERIAL

-  Stainless Steel

VERSION: ELECTRIC II



VERSION: CENTRAL HEATING



VERSION: ELECTRIC V



model		SW800L	SW800L	SW1200L	SW1200L	SW1400L	SW1400L
height (mm)	a	896	896	1136	1136	1376	1376
width between axes (mm)	b	50	50	50	50	50	50
total width (mm)	c	500	600	500	600	500	600
depth (mm)	d	90	90	90	90	90	90
capacity (l)		3,1	3,3	4,0	4,6	6,1	6,9
central heating (W)		279	317	360	438	543	616
electric (W)		200	200	300	300	600	600

STEEL STONE

TOWEL WARMER



FINISHING

-  Polished
-  Brushed

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round

VERSION

-  Central Heating
-  Electric

MATERIAL



-  Stainless Steel

The covering material should support temperatures up to 120 °C.



Recommended material: natural stones, like marble and granite.

Stone not included.

VERSION: CENTRAL HEATING



VERSION: ELECTRIC II



model		SS600600	SS400900	SS600900	SS4001200	SS6001300	SS8001200
height (mm)	a	600	400	600	400	600	800
width between tubes (mm)	b	560	860	860	1160	1160	1160
total width (mm)	c	600	900	900	1200	1200	1200
depth (mm)	d	110	110	110	110	110	110
capacity (l)		3,6	4,2	4,7	5,6	5,8	7,2
central heating (kW)		322	379	419	500	524	647
electric (kW)		300	300	600	600	800	1000



MIRAGE
TOWEL WARMER

FINISHES

-  Polished
-  Brushed
-  Textured Black
-  White VDI 16 Seal
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Raised


VERSION

-  Electric

MATERIAL

-  Stainless Steel

VERSION: ELECTRIC I



model	MR60150	MR100150	MR1200150	MR130050	
height (mm)	a	800	1000	1200	1400
total width (mm)	c	150	150	150	150
depth (mm)	d	80	80	80	80
electric (W)		100	100	150	150



STEEL CLASSIC

TOWEL WARMER

FINISHING

-  Polished
-  Brushed

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round


VERSION

-  Central Heating
-  Electric


MATERIAL

-  Stainless Steel

VERSION: CENTRAL HEATING



VERSION: ELECTRIC V



model		T 800E	T 800L	T 1200E	T 1200L	T 1800E	T 1800L
height (mm)	a	800	800	1200	1200	1800	1800
width between sides (mm)	b	450	500	450	500	450	500
total width (mm)	c	492	542	492	542	492	542
depth (mm)	d	87	87	87	87	87	87
capacity (l)		2,5	2,6	3,6	3,7	5,6	5,9
central heating (kW)		221	234	323	353	497	547
electric (kW)		200	200	300	300	600	600



STEEL GLAMOUR

TOWEL WARMER

FINISHING

-  Polished
-  Brushed

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round


VERSION

-  Central Heating
-  Electric

MATERIAL

-  Stainless Steel

VERSION: CENTRAL HEATING



VERSION: ELECTRIC II



model		Q 800E	Q 800L	Q 1200E	Q 1200L	Q 1800E	Q 1800L
height (mm)	a	800	800	1200	1200	1800	1800
width between sides (mm)	b	450	500	450	500	450	500
total width (mm)	c	480	530	480	530	480	530
depth (mm)	d	90	90	90	90	90	90
capacity (l)		2,8	3,1	4,0	4,6	6,9	7,4
central heating (kW)		250	296	360	438	642	689
electric (kW)		300	300	600	600	1000	1000



STEEL STYLE

TOWEL WARMER

FINISHING

-  Textured Black
-  White 90 10 Satin

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round


VERSION

-  Central Heating
-  Electric


MATERIAL

-  Steel

VERSION: CENTRAL HEATING



VERSION: ELECTRIC V



model		F 800E	F 800L	F 1200E	F 1200L	F 1800E	F 1800L
height (mm)	a	800	800	1200	1200	1800	1800
width between axes (mm)	b	450	500	450	500	450	500
total width (mm)	c	492	542	492	542	492	542
depth (mm)	d	87	87	87	87	87	87
capacity (l)	B	2,5	2,5	3,6	3,7	5,6	5,9
central heating (W)		221	234	323	353	497	547
electric (W)		300	200	300	300	600	600



NEW SLIM

FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  BA Colour

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round


VERSION

-  Central Heating
-  Electric
-  Mixed


MATERIAL

-  Stainless Steel
-  Steel


VERSION: ELECTRIC OR V



VERSION: CENTRAL HEATING



VERSION: MIXED



model	central heating		electric
	NS 400 E	NS 400 L	NS 400
height [mm]	a	400	400
width between pipes [mm]	b	450	500
total width [mm]	c	820	830
depth [mm]	d	90	90
capacity [l]		2,1	2,1
central heating [W]		242	-
electric [W]		-	200

BASIC LINE

TOWEL WARMER



FINISHES

-  Polished
-  Brushed
-  Textured Black
-  White GO 16 Soft
-  RAL Colour

ACCESSORIES

-  Domotic Touch
-  Mirror Switch
-  Mirror Switch Round



VERSION

-  Central Heating
-  Electric
-  Mixed

MATERIAL

-  Stainless Steel
-  Steel


VERSION: CENTRAL HEATING






B.800E	B.800L	B.800R	B.1200E	B.1200L	B.1200R	model
780	780	780	1200	1200	1200	a (mm) height
430	500	600	430	500	600	b (mm) width between rails
485	535	635	485	535	635	c (mm) total width
90	90	90	90	90	90	d (mm) depth
2,90	3,16	3,68	4,19	4,36	5,29	f) capacity
259,1	282,2	328,5	374,4	407,1	473,7	(V) central heating
300	300	300	600	600	600	(V) electric


VERSION: ELECTRIC II - STANDARD




VERSION: WIRED



VERSION: ELECTRIC V



VERSION: ELECTRIC I (HIDDEN)



model		BL1400E	BL1400L	BL1400E	BL1400 (D)	BL1800E	BL1800L	BL1800E
height (mm)	a	1380	1380	1380	1380	1800	1800	1800
width between axes (mm)	b	450	500	600	600	450	500	600
total width (mm)	c	485	525	625	525	485	525	625
depth (mm)	d	90	90	90	90	90	90	90
capacity (l)		4,90	5,33	6,19	5,33	6,55	7,14	8,30
central heating (W)		437,8	476,2	553,0	476,2	585,5	637,5	741,7
electric (W)		600	600	600	-	1000	1000	1000
electric II (W)						900	900	900

NEW BASIC

TOWEL WARMER



FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White OD 16 Satin
-  RAL Colour

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round


VERSION

-  Central Heating
-  Electric
-  Wood

MATERIAL

-  Stainless Steel
-  Steel

VERSION: WOOD



VERSION: CENTRAL HEATING



VERSION: ELECTRIC II - STANDARD




VERSION: ELECTRIC II (HIDDEN)




NB800E	NB800L	NB800L	NB1200E	NB1200L	NB1200L	model
800	800	800	1200	1200	1200	a (mm) height
450	300	600	430	500	600	b (mm) width between coils
485	535	635	485	535	635	c (mm) total width
90	90	90	90	90	90	d (mm) depth
2,5	2,5	2,7	3,6	3,7	3,9	(l) capacity
218	226	293	318	329	351	(V) central heating
200	200	200	300	300	300	(V) electric
150	150	150				(V) electric II

VERSION: CENTRAL HEATING



VERSION: ELECTRIC V



model		NB1400E	NB1400L	NB1400L	NB1400C	NB1800E	NB1800L	NB1800L
height (mm)	a	1448	1448	1448	1448	1800	1800	1800
width between poles (mm)	b	450	500	600	300	450	500	600
total width (mm)	c	485	535	635	535	485	535	635
depth (mm)	d	90	90	90	90	90	90	90
capacity (l)		4,3	4,5	4,8	4,5	5,4	5,6	6,0
central heating (W)		381	396	423	396	481	499	532
electric (W)		300	300	300	-	600	600	600



Empress
TOWEL WARMER



FINISHING



PVD FINISHING

maximum dimensions of 1000mm



ACCESSORIES




VERSION




MATERIAL



VERSION: ELECTRIC & HIDDEN



VERSION: MIXED



model	E 800E	E 800L	E 1200E	E 1200L	E 1800E	E 1800L
height (mm) h	800	800	1200	1200	1800	1800
width between axes (mm) b	450	300	450	500	450	500
total width (mm) c	570	620	570	620	570	620
depth (mm) d	120	120	120	120	120	120
capacity (l)	2,22	2,39	3,27	3,41	4,49	4,70
central heating (W)	200	208	294	307	404	423
electric (W)	200	200	300	300	600	600



Old Beauty
TOWEL WARMER

FINISHING

-  Polished
-  Brushed

PVD FINISHING

maximum dimensions of 1000mm

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round
-  Wall Valve

VERSION

-  Central Heating
-  Electric
-  Mixed


MATERIAL

-  Stainless Steel

VERSION: CENTRAL HEATING



VERSION: ELECTRIC (HIDDEN)



model	DB 800
height (mm)	a 590
width between rails (mm)	b 650
total width (mm)	c 820
depth (mm)	d 120
capacity (l)	2,61
central heating (W)	335
electric (W)	800



Remind
TOWEL WARMER

FINISHING

-  Polished
-  Brushed

PVD FINISHING

maximum dimensions of 1000mm

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round
-  Wall Valve

VERSION

-  Central Heating
-  Electric
-  Mixed


MATERIAL

-  Stainless Steel

VERSION: CENTRAL HEATING



VERSION: ELECTRIC (HIDDEN)



model		€ 800E	€ 800L	€ 1200E	€ 1200L	€ 1800E	€ 1800L
height (mm)	a	800	800	1250	1250	1850	1850
width between axes (mm)	b	450	500	450	500	450	500
total width (mm)	c	485	535	485	535	485	535
depth (mm)	d	120	120	120	120	120	120
capacity (l)		1,84	1,93	2,90	3,03	4,31	4,51
central heating (W)		165	174	361	272	387	405
electric (W)		200	200	300	300	600	600



Floor Remind

TOWEL WARMER

FINISHING

-  Polished
-  Brushed

PVD FINISHING

maximum dimensions of 1000mm

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round

VERSION

-  Central Heating
-  Electric

MATERIAL

-  Stainless Steel

VERSION: CENTRAL HEATING



VERSION: ELECTRIC (HIDDEN)



model		RE 1000	RE 1200	RE 1400
height (mm)	a	1000	1200	1400
width between rails (mm)	b	600	600	600
total width (mm)	c	642	642	642
depth (mm)	d	140	140	140
capacity (l)		3,09	4,26	5,17
central heating (W)		332	398	465
electric (W)		300	300	600

Retro Special

TOWEL WARMER



model	RE600400	RE600430	RE600500	RE600600	RE800400	RE800450
height (mm) a	600	600	600	600	800	800
width between bars (mm) b	400	430	500	600	400	450
total width (mm) c	435	485	525	635	435	485
depth (mm) d	90	90	90	90	90	90
capacity (l)	1,33	1,41	1,47	1,58	1,67	1,73
control heating (W)	101	106	111	122	120	126
electric (W)	150	130	150	200	200	200

FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White OD 16 Satin
-  RAL Colour

PVD FINISHING

maximum dimensions of 1000mm

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round


VERSION

-  Control Heating
-  Electric
-  Mixed


MATERIAL

-  Stainless Steel
-  Steel

VERSION: ELECTRIC II




VERSION: ELECTRIC IV OR V



RE 800500 RE 800600 RE 1000400RE 1000450RE 1000500RE 1000550RE 1000600RE 1200400RE 1200450RE 1200500RE 1200600

800	800	1000	1000	1000	1000	1000	1200	1200	1200	1200
500	600	400	450	500	600	400	450	500	600	600
535	635	435	485	535	635	435	485	535	635	635
90	90	90	90	90	90	90	90	90	90	90
1,79	1,9	2,12	2,2	2,28	2,43	2,43	2,52	2,6	2,75	
131	142	154	161	168	182	174	181	188	202	
200	200	300	300	300	300	300	300	300	300	300



DIAMOND

DESIGN RADIATOR
DESIGNER: PATRICK PEDROSA

FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White 3D Soft
-  RAL Colour

PVD FINISHING

maximum dimensions of 1000mm

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round
-  Wall Valve


VERSION

-  Central Heating
-  Electric


MATERIAL

-  Stainless Steel
-  Steel

VERSION: CENTRAL HEATING



VERSION: ELECTRIC & HIDDEN



model		D 1500V	D 1200H
height (mm)	a	1560	1050
width between sides (mm)	b	50	50
total width (mm)	c	1050	1560
depth (mm)		110	110
capacity (l)		11,18	11,18
weight (kg)		≈ 75	≈ 75
central heating (kW)		1203	1205
electric (kW)		1600-2000	1600-2000

DIAMOND XS




D XS		model
1040	a [mm]	height
30	b [mm]	width between sides
900	c [mm]	total width
110	d [mm]	depth
4,75	fl	capacity
+ 35	kg	weight
368	[V]	central heating
8001000	[W]	electric



ARENA TABLE

DESIGN RADIATOR

DESIGNER: PATRICK PEDROSA



model		At 1000	At 1200	At 1400
height (mm)	a	535	535	535
total width (mm)	b	1000	1200	1400
depth (mm)		450	450	450
capacity (l)		7,45	10,89	12,66
weight (kg)		-50	-65	-75
electric (W)		1000	1500	1500

ARENA

DESIGN RADIATOR

DESIGNER: PATRICK PEDROSA



FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

PVD FINISHING

maximum dimensions of 1000mm

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domotic Touch
-  Mirror Switch
-  Mirror Switch Round
-  Wall Valve


VERSION

-  Central Heating
-  Electric


MATERIAL

-  Stainless Steel
-  Steel

VERSION: CENTRAL HEATING



VERSION: ELECTRIC II



model	A 800	A 1200	A 1400
height (mm) a	300	300	300
width between axes (mm) b	50	50	50
total width (mm) c	800	1200	1400
depth (mm) d	270	270	270
capacity (l)	5,32	7,78	9,04
weight (kg)	-30	-45	-55
central heating (W)	578	801	913
electric (W)	600	1000	1500

CURVE

ROOM RADIATOR



electro

C2301000 C2301500 C2302000 C3001000 C3001500 C3002000

model

230	230	230	300	300	300	a (mm)	height
1000	1500	2000	1000	1500	2000	b (mm)	total width
160	160	160	160	160	160	c (mm)	depth
1,3	2,1	2,9	1,3	2,1	2,9	d (l/m)	capacity
1600	1800	2000	1600	1800	2000	(W)	electro

FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White 0010 Satin
-  RAL Colour

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round

VERSION

-  Central Heating
-  Electric

MATERIAL

-  Stainless Steel
-  Steel

VERSION: ELECTRIC WITH HIDDEN ELEMENT E



VERSION: CENTRAL HEATING



central heating

model	C2301000	C2301500	C2302000	C3001000	C3001500	C3002000
height (mm) a	230	230	230	300	300	300
total width (mm) b	1000	1500	2000	1000	1500	2000
depth (mm) c	160	160	160	160	160	160
width between cables (mm) d	800	1300	1800	800	1300	1800
central heating (W)	872	1342	1787	1308	2015	2480



D LIGNE

ROOM RADIATOR

electric

D2301000 D2301500 D2302000 D3001000 D3001500 D3002000

						model
230	230	230	300	300	300	a [mm] height
1000	1500	2000	1000	1500	2000	b [mm] total width
160	160	160	160	160	160	c [mm] depth
1,4	2,2	3,0	1,4	2,2	3,0	d [kW] capacity
1600	1800	2000	1600	1800	2000	[V] electric

FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White OD 16 Soft
-  RAL Colour

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round


VERSION

-  Central Heating
-  Electric


MATERIAL

-  Stainless Steel
-  Steel

VERSION: ELECTRIC WITH HIDDEN ELEMENT 1



VERSION: CENTRAL HEATING



central heating

model	D2301000	D2301500	D2302000	D3001000	D3001500	D3002000
height (mm) a	230	230	230	300	300	300
total width (mm) b	1000	1500	2000	1000	1500	2000
depth (mm) c	160	160	160	160	160	160
width between valves (mm) d	860	1360	1860	860	1360	1860
central heating (W)	948	1460	1942	1422	2190	2913

DIVINE

RADIATOR



electric

DI 1000	DI 1500	DI 2000	DI30 1000	DI30 1500	DI30 2000	model	
230	230	230	300	300	300	a (mm)	height
1000	1500	2000	1000	1500	2000	b (mm)	total width
160	160	160	160	160	160	c (mm)	depth
1,4	2,2	3,0	1,4	2,2	3,0	d (l/m)	capacity
1800	1800	2000	1600	1800	2000	(W)	electric

FINISHING



ACCESSORIES




VERSION





MATERIAL



VERSION: ELECTRIC WITH HIDDEN ELEMENT II



VERSION: CENTRAL HEATING



central heating

model	DI 1000	DI 1500	DI 2000	DI30 1000	DI30 1500	DI30 2000
height (mm) a	230	230	230	300	300	300
total width (mm) b	1000	1500	2000	1000	1500	2000
depth (mm) c	160	160	160	160	160	160
width between valves (mm) d	880	1380	1880	880	1380	1880
central heating (W)	948	1460	1942	1402	2190	2913



LINEAR

ROOM RADIATOR

electric								model	
IE 1000	IE 1300	IE 1000+	IE 1500+	IE 2000+	IE30 1000	IE30 1500	IE30 2000	a (mm)	height
240	240	240	240	240	310	310	310	b (mm)	total width
1000	1500	1000	1500	2000	1000	1500	2000	c (mm)	depth
100	100	160	160	160	160	160	160	d (mm)	capacity
1,4	2,2	1,4	2,2	3,0	1,4	2,2	3,0	(W)	electric
1600	1800	1600	1800	2000	1600	1800	2000		

FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White OD 16 Satin
-  RAL Colour

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round


VERSION

-  Central Heating
-  Electric



MATERIAL

-  Stainless Steel
-  Steel

VERSION: ELECTRIC WITH HIDDEN ELEMENT II



VERSION: CENTRAL HEATING



central heating

model	IC 1000	IC 1300	IC 2000	IC30 1000	IC30 1300	IC30 2000
height (mm) a	240	240	240	310	310	310
total width (mm) b	1000	1500	2000	1000	1300	2000
depth (mm) c	160	160	160	160	160	160
width between axes (mm) d	-	-	-	-	-	-
central heating (W)	948	1460	1942	1422	2190	2913

PLANO MOVE

ROOM RADIATOR



model	PW600800	PW500800	PW600800	PW6001200	PW5001200	PW6001200	PW6001400
height (mm) a	400	500	600	400	500	600	400
total width (mm) c	800	800	800	1200	1200	1200	1400
depth (mm) d	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90
electric (W)	300	300	600	600	600	600	600

model	PW600400	PW600500	PW600600	PW1200400	PW1200500	PW1200600	PW1400400
height (mm) a	800	800	800	1200	1200	1300	1400
total width (mm) c	400	500	600	400	500	600	400
depth (mm) d	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90
electric (W)	300	300	600	600	600	600	600

FINISHES

-  Polished
-  Brushed
-  Textured Black
-  White 90° Satin
-  RAL Colour

ACCESSORIES

-  Domestic Switch
-  Mirror Switch
-  Mirror Switch Round

VERSION

-  Electric

MATERIAL

-  Stainless Steel
-  Steel

NOTE

Electrical heating cartridge with thermal fluid

VERSION ELECTRIC WITH HIDDEN ELEMENT II



PM3001400	PM6001400	PM4001800	PM5001800	PM6001800	PM8002000	PM5002000	PM6002000
500	600	400	500	600	400	500	600
1400	1400	1800	1800	1800	2000	2000	2000
40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90
600	600	600	600	1000	1000	1000	1000
PM1400500	PM1400600	PM1800400	PM1800500	PM1800600	PM2000400	PM2000500	PM2000600
1400	1400	1800	1800	1800	2000	2000	2000
500	600	400	500	600	400	500	600
40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90
600	600	600	600	1000	1000	1000	1000

PLANO PURE

ROOM RADIATOR



* Different width between axes and positioning of valves according to the client's choice.

** The depth can be less than 80mm.

PA301200	PA601800	PA602000	PA10001000	PA1800550	PA2000550	PA1800650	PA2000650	model
650	650	650	1000	1800	2000	1800	2000	a (mm) height
-	-	-	-	-	-	-	-	b (mm) * width between axes
1200	1800	2000	1000	550	550	650	650	c (mm) total width
80	80	80	80	80	80	80	80	d (mm) ** depth
26,03	33,21	36,99	28,96	27,88	28,96	33,21	36,99	l capacity
47,4	69,8	77,1	64,6	59,1	75,2	69,8	77,1	kg weight
2512	3768	4187	3382	3267	3630	3768	4187	[V] central heating
1200	1800	2000	1200	1600	2000	1600	2000	[V] electric II
-	-	-	-	1000	1000	1000	1000	[V] electric IV

FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White R010 Safe
-  RAL Colour

ACCESSORIES

-  Domotic Touch
-  Minox Switch
-  Minox Switch Round

VERSION

-  Central Heating
-  Electric

MATERIAL

-  Stainless Steel
-  Steel

VERSION: ELECTRIC I



VERSION: ELECTRIC IV




VERSION: ELECTRIC II



VERSION: CENTRAL HEATING



VERSION: CENTRAL HEATING





PLANO PURE ON/OFF

ROOM RADIATOR




FINISHING

-  Polished
-  Brushed
-  Textured Black
-  White 90 16 Satin
-  RAL Colour

ACCESSORIES

-  Domestic Touch
-  Mirror Switch
-  Mirror Switch Round

VERSION

-  Electric

MATERIAL

-  Stainless Steel
-  Steel

VERSION: ELECTRIC II



on/off switch with LED
voltage AC 230-240V

VERSION: ELECTRIC II



model	PM301200	PM501800	PM502000	PM10001000	PM1800500	PM2000500	PM1800650	PM2000650
height (mm) h	650	650	650	1000	1800	2000	1800	2000
total width (mm) c	1200	1800	2000	1000	550	550	650	650
depth (mm) d	80	80	80	80	80	80	80	80
electric II (W)	1200	1600	2000	1200	1600	2000	1600	2000

PLANO+

ROOM RADIATOR



FINISHES

-  Polished
-  Brushed
-  Textured Black
-  White VO16 Sefis
-  RAL Colour

VERSION

-  Central Heating

MATERIAL

-  Stainless Steel
-  Steel


option A



option B



option C



option D



* Different width between poles and positioning of valves according to the client's choice.

model	P+1200 10	P+1400 10	P+1800 10	P+2000 10	P+1200 25	P+1400 25	P+1800 25
no. of elements	10	10	10	10	25	25	25
height (mm) a	1200	1400	1800	2000	1200	1400	1800
total width (mm) c	210	210	210	210	510	510	510
depth (mm) d	120	120	120	120	120	120	120
capacity (l)	4,25	4,91	6,23	6,89	10,61	12,26	15,55
weight (kg)	17,14	19,90	25,42	28,18	42,81	49,71	63,51
central heating (kW)	782	901	1136	1256	1960	2259	2845


model	P+2000 25	P+1200 31	P+1400 31	P+1800 31	P+2000 31	P+1200 36	P+1400 36
no. of elements	25	31	31	31	31	36	36
height (mm) a	2000	1200	1400	1800	2000	1200	1400
total width (mm) c	510	630	630	630	630	730	730
depth (mm) d	120	120	120	120	120	120	120
capacity (l)	17,19	13,16	15,20	19,28	21,32	15,28	17,65
weight (kg)	70,41	53,08	61,64	78,75	87,31	61,64	71,57
central heating (kW)	3146	2432	2801	3157	3902	2826	3257

model	P+2000 60	P+251200	P+25 1400	P+25 1800	P+31 1200	P+31 1400	P+31 1800
no. of elements	60	25	25	25	31	31	31
height (mm) a	2000	510	510	510	630	630	630
total width (mm) c	1210	1200	1400	1800	1200	1400	1800
depth (mm) d	120	120	120	120	120	120	120
capacity (l)	41,24	10,61	12,26	15,55	13,16	15,20	19,28
weight (kg)	168,93	42,81	49,71	63,51	53,08	61,64	78,75
central heating (kW)	7520	1960	2239	2845	2432	2801	3157

option E



option F



option G



F+1800 36 F+2000 36 F+1200 40 F+1400 40 F+1800 40 F+2000 40 F+1200 60 F+1400 60 F+1800 60


36	36	40	40	40	40	60	60	60
1800	2000	1200	1400	1800	2000	1200	1400	1800
730	730	810	810	810	810	1210	1210	1210
120	120	120	120	120	120	120	120	120
22,38	24,75	16,97	19,60	24,87	27,50	23,45	29,40	37,30
91,45	101,38	68,48	79,52	101,60	112,71	102,71	119,27	152,39
4099	4530	3139	3619	4557	5030	4706	5427	6820

F+36 1200 F+36 1400 F+36 1800 F+40 1200 F+40 1400 F+40 1800 F+60 1200 F+60 1400 F+60 1800


36	36	36	40	40	40	60	60	60
730	730	720	810	810	810	1210	1210	1210
1200	1400	1800	1200	1400	1800	1200	1400	1800
120	120	120	120	120	120	120	120	120
15,38	17,65	22,38	16,97	19,60	24,87	23,45	29,40	37,30
61,64	71,57	91,43	68,48	79,52	101,60	102,71	119,27	152,39
3826	3257	4099	3139	3619	4557	4706	5427	6820

PLANO

ROOM RADIATOR



VERSION ELECTRIC I




model	P1200 4	F1400 4	P1800 4	P2000 4	P1200 8	P1400 8	P1800 8	P2000 8	P1200 9
no. of elements	4	4	4	4	8	8	8	8	9
height (mm) a	1200	1400	1800	2000	1200	1400	1800	2000	1200
total width (mm) c	221	221	221	221	449	449	449	449	306
depth (mm) d	85	85	85	85	85	85	85	85	85
capacity (l)	2,01	2,29	2,98	3,25	4,10	4,70	5,98	6,32	4,54
weight (kg)	7,24	8,34	10,55	11,65	14,49	16,70	21,12	23,33	16,31
central heating (W)	323	379	469	497	654	733	925	956	713
electric (W)	600	600	600	600	1000	1000	1000	1000	1200


model	P1400 14	P1800 14	P2000 14	P1200 21	P1400 21	P1800 21	P2000 21	P9 1200	P9 1400
no. of elements	14	14	14	21	21	21	21	9	9
height (mm) a	1400	1800	2000	1200	1400	1800	2000	306	306
total width (mm) c	791	791	791	1190	1190	1190	1190	1200	1400
depth (mm) d	85	85	85	85	85	85	85	85	85
capacity (l)	7,60	9,44	10,37	10,03	11,41	14,17	15,55	4,54	5,30
weight (kg)	29,24	36,97	40,83	38,07	43,87	55,46	62,55	16,31	18,79
central heating (W)	1276	1594	1603	1649	1899	2390	2641	713	829
electric (W)	2000	2000	2000	2000	2000	2000	2000	1200	1200

VERSION CENTRAL HEATING

option A



option B



option C



option D




option E



option G



option F



* Different with between sales and perforing of valves according to the client's choice.

P1400 9 P1800 9 P2000 9 P1200 10 P1400 10 P1800 10 P2000 10 P1200 11 P1400 11 P1800 11 P2000 11 P1200 14

9	9	9	10	10	10	10	10	11	11	11	11	14
1400	1800	2000	1200	1400	1800	2000	1200	1400	1800	2000	1200	1200
506	506	506	563	563	563	563	620	620	620	620	620	791
85	85	85	85	85	85	85	85	85	85	85	85	85
5,30	6,69	7,21	5,11	5,97	7,44	8,10	5,71	6,51	8,26	8,74	6,68	
18,79	23,76	26,24	18,12	20,88	26,40	29,16	19,93	22,97	29,04	32,08	25,38	
829	1022	1117	814	933	1142	1263	864	997	1263	1388	1106	
1600	2000	2000	1200	1300	2000	2000	1600	2000	2000	2000	2000	

P9 1800 P10 1200 P10 1400 P10 1800 P11 1200 P11 1400 P11 1800 P14 1200 P14 1400 P14 1800 P21 1200 P21 1400

9	10	10	10	11	11	11	14	14	14	21	21
506	563	563	563	620	620	620	791	791	791	1190	1190
1800	1200	1400	1800	1200	1400	1800	1200	1400	1800	1200	1400
85	85	85	85	85	85	85	85	85	85	85	85
6,69	5,11	5,97	7,44	5,71	6,51	8,26	6,68	7,60	9,44	10,03	11,41
23,76	18,12	20,88	26,40	19,93	22,97	29,04	25,38	29,24	36,97	38,07	43,67
1000	814	933	1142	864	997	1263	1106	1276	1594	1649	1899
1200	1200	1300	1300	1200	1600	2000	1600	1600	2000	1600	2000

DOMOTIC TOUCH

TECHNOLOGY

The Domotic Touch is a simple control solution with the installation parameters of a normal switch.

Economical functionality

Increases the energetic efficiency with the setup of working hours (one, two or three hours).

Comfort functionality

Control of the energy expenditure through the temperature setup [18°C, 20°C, 22°C, 24°C]. Equipped with a room temperature sensor that allows the selection of the desired temperature for the comfort of the space.

Flexibility

The Domotic Touch allows the management of one or more radiators or towel warmers in the same space.

Duty-cycle

Function to use for a more customized control equipment temperature.

The activation of this mode is shown by the light indicator above the icon.


Operation timed at 25%, 50%, 75% and 100% per 20 minute period.



BLACK GLASS



WHITE GLASS



model	DT
total measure exterior [mm]	a 90 x 90
exterior depth [mm]	b 5
interior case depth [mm]	c 40
total measure interior [mm]	d 73 x 73
horizontal back measure [mm]	e 55
vertical back measure [mm]	l 51
neutral input	N
neutral output towel warmer / radiator	N
phase input	L
phase output towel warmer / radiator	L



WHITE WHITE



WHITE BLACK



SWITCH ON OFF

Ø80MM x 70MM | PSE

CLASS 2

110V - 230V



POLISHED GOLD



POLISHED COPPER



BRUSHED



POLISHED



POLISHED COPPER



POLISHED COPPER



TEXTURED BLACK





WHITE GLOSS SATIN

SWITCH ON OFF



Ø50MM x 70MM | 854
CALL3
110V - 220V





MIMOO SWITCH

82MM X 80MM X 6MM | P14

CLASS 2

110V - 230V



NO BRUSHED GOLD



NO POLISHED GOLD



BRUSHED



POLISHED



NO BRUSHED COPPER



NO POLISHED COPPER



TEXTURED BLACK



WHITE WITH SATIN



MIMOO SWITCH ROUND

85MM X 85MM | P14

CLASS 2

110V - 330V



PVD BRUSHED GOLD



PVD POLISHED GOLD



BRUSHED



POLISHED



PVD BRUSHED COPPER



PVD POLISHED COPPER



TEXTURED BLACK



WHITE 9016 SATIN


MIMOO SWITCH

MIMOO SWITCH




82WAX80MMX80MM | P14
CLASS 2
110V - 230V

SIDE VIEW



FRONT VIEW




MIMOO SWITCH ROUND



82SNW80MM | P14
CLASS 2
110V - 230V

SIDE VIEW



FRONT VIEW



ELECTRIC ELEMENTS

ELECTRIC ELEMENT I

only available in Portugal



CLASS 1 | IP44
VERTICAL ALIGNMENT
ON/OFF
TEMPERATURE CONTROL

ELECTRIC ELEMENT II



CLASS 2 | IP44
VERTICAL ALIGNMENT
HORIZONTAL ALIGNMENT

ELECTRIC ELEMENT III

only available in Portugal



CLASS 1 | IP45
VERTICAL ALIGNMENT
ON/OFF
TEMPERATURE CONTROL

ELECTRIC ELEMENT IV



CLASS 2 | IP45
VERTICAL ALIGNMENT
HORIZONTAL ALIGNMENT
ON/OFF
TEMPERATURE CONTROL
TIMER 2H
ROOM TEMPERATURE SENSOR

ELECTRIC ELEMENT V



CLASS 2 | IP44
VERTICAL ALIGNMENT
ON/OFF
TEMPERATURE CONTROL
TIMER 2H
ROOM TEMPERATURE SENSOR

ELECTRIC ELEMENT VI



CLASS 2 | IP44
VERTICAL ALIGNMENT
ON/OFF
TEMPERATURE CONTROL
TIMER 2H
ROOM TEMPERATURE SENSOR
ROOMWAVE®

VALVES AND RETAINERS

VALVE KIT 1

Square manual angled valve and retainer



VALVE KIT 2

Square manual angled valve and retainer



VALVE KIT 3

Round manual angled valve and retainer



VALVE KIT 4

Fixed manual angled valve and return



VALVE KIT 5

Fixed manual valve

leech style

angle style



VALVE KIT 6

Manual valve and return

Manual valve and return



VALVE KIT 7

Round manual angled valve and retainer



THERMOSTATIC KIT 1

Thermostatic head + Cover

Thermostatic valve

Retainer



THERMOSTATIC KIT 2

Valve with thermostatic head

Retainer



THERMOSTATIC KIT 3

Thermostatic valve



Thermostatic valve



Return



WALL VALVE KIT 1

Thermostatic valves




SUPPORTS

Support I



Support II



MDED ADAPTER I

Adapter for mixed version



MDED ADAPTER II

Adapter for mixed version



AIR VENT

Air vent 1/2"



Air vent 1/8"



FOURSTEEL®

Foursteel, lda

Centro Empresarial de Aveiro

Zona Industrial de Mamodero

3810-783 Aveiro

PORTUGAL

T +351 234 111 967

T +351 234 107 263

www.foursteel.eu

geral@foursteel.eu

+351 935 212 579

FOURSTEEL® - ALL RIGHTS RESERVED

IMPORTANT NOTES:

1. When the position of the electric element is not identified it will always be placed in the lower right side;
2. All our electric heaters consist of electric heater cartridge (heater bar) and thermal fluid.
3. Fourwell® reserves the right to change all the products and related drawings featured in this catalogue without any prior notice.
4. All Fourwell® products are adaptable in terms of size and capacity.

RAL COLORS: color subject to confirmation.

WHITE: RAL 9016 (Standard version)

Certification of electrical products, according to the standards:

IECEN 60335-2-43

IEC 60335-1:2010 + COR1:2010 + COR2:2011 + A1:2013 EN 60335-1:2012 + AC:2014 + A11:2014

IEC 60335-2-43:2002 + A1:2005 + A2:2008 EN 60335-2-43:2003 + A1:2006 + A2:2008

Certification of central heating products, according to the standard UNE:

EN442 - 2

UL Certification:

UL 499 - Electric Heating Appliances

ES06585



FOURSTEEL®

WWW.FOURSTEEL.EU